

APPENDIX J TO SUBPART A OF PART 82—PARTIES TO THE MONTREAL PROTOCOL
CLASSIED UNDER ARTICLE 5(1) THAT HAVE BANNED THE IMPORT OF CONTROLLED
PRODUCTS THAT RELY ON CLASS I CONTROLLED SUBSTANCES FOR THEIR CON-
TINUING FUNCTIONING [RESERVED]

APPENDIX K TO SUBPART A OF PART 82—COMMODITY CODES FROM THE HARMONIZED
TARIFF SCHEDULE FOR CONTROLLED SUBSTANCES AND USED CONTROLLED
SUBSTANCES

Description of commodity or chemical	Commodity code from harmonized tariff schedule
CFC-11	2903.41.0000
CFC-12	2903.42.0000
CFC-113	2903.43.0000
CFC-114	2903.44.0010
CFC-115	2903.44.0020
HALONS	2903.46.0000
CFC-13, CFC-111, CFC-112, CFC-211, CFC-212, CFC-213, CFC-214, CFC-215, CFC-216, CFC-217	2903.45.0000
HCFC-22	2903.49.9010
HCFC-21, HCFC-31, HCFC-123, HCFC-124, HCFC-133, HCFC-141b, HCFC-142b, HCFC-225	2903.49.0000
OTHER, HALOGENATED	2903.49.9060
MIXTURES (R-500, R-502, ETC.)	3824.71.0000
MIXTURES, OTHER	3824.79.0000
CARBON TETRACHLORIDE	2903.14.0000
METHYL CHLOROFORM	2903.19.6010
METHYL BROMIDE	2903.30.1520

[63 FR 41651, Aug. 4, 1998]

APPENDIX L TO SUBPART A OF PART 82—APPROVED CRITICAL USES AND LIMITING
CRITICAL CONDITIONS FOR THOSE USES FOR THE 2012 CONTROL PERIOD

Approved critical uses	Approved critical user and location of use	Limiting critical conditions that exist, or that the approved critical user reasonably expects could arise without methyl bromide fumigation
Column A	Column B	Column C
PRE-PLANT USES		
Cucurbits	(a) Growers in Delaware and Maryland	Moderate to severe soilborne disease infestation.
	(b) Growers in Georgia and Southeastern U.S. limited to growing locations in Alabama, Ar- kansas, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, and Virginia.	Moderate to severe yellow or purple nutsedge in- festation. Moderate to severe soilborne disease infestation. Moderate to severe root knot nematode infesta- tion.
Eggplant	(a) Florida growers	Moderate to severe yellow or purple nutsedge in- festation. Moderate to severe soilborne disease infestation. Restrictions on alternatives due to karst topo- graphical features and soils not supporting seepage irrigation.
	(b) Georgia growers	Moderate to severe yellow or purple nutsedge in- festation. Moderate to severe nematode infestation. Moderate to severe pythium collar, crown and root rot. Moderate to severe southern blight infestation. Restrictions on alternatives due to karst topo- graphical features.
Forest Nursery Seedlings	(a) Southern Forest Nursery Management Coop- erative (Growers in Alabama, Arkansas, Flor- ida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, and Virginia).	Moderate to severe yellow or purple nutsedge in- festation. Moderate to severe soilborne disease infestation. Moderate to severe nematode infestation.
	(b) Northeastern Forest and Conservation Nurs- ery Association (Government-owned seedling nurseries in Illinois, Indiana, Kentucky, Mary- land, Missouri, New Jersey, Ohio, Pennsylv- ania, West Virginia, and Wisconsin).	Moderate to severe weed infestation including purple and yellow nutsedge infestation. Moderate to severe Canada thistle infestation. Moderate to severe nematode infestation. Moderate to severe soilborne disease infestation.